## **UMC Health System**

## ASP THERAPY FOR LINE-RELATED INFECTION AS SEPSIS SOURCE

## **Patient Label Here**

	PHYSICIAN ORDERS	
Diagnosis		
Weight	Allergies	
	Place an "X" in the Orders column to designate orders of choice AND an "x" in the specific order detail box(es) where applicable.	
ORDER	ORDER DETAILS	
	Patient Care	
	Systemic Antibiogram  T;N, Routine, See link for reference text.	
	Antibiogram Education  T;N, Routine, See link for reference text.	
	Medications	
	Medication sentences are per dose. You will need to calculate a total daily dose if needed.	
	Add order for vancomycin loading dose (if not already done) and add a second order for vancomycin maintenance dose.	
	vancomycin  25 mg/kg, IVPB, ivpb, ONE TIME, Infuse over 120 min, [Loading Dose]	
	vancomycin ☐ 15 mg/kg, IVPB, ivpb, q12h, Infuse over 90 min, [MONITORING ADVISED] Pharmacy to dose and monitor	
	Alternatively, if patient is allergic to or has received vancomycin in the previous 90 days, choose DAPTOmycin.	
	DAPTOmycin ☐ 6 mg/kg, IVPB, ivpb, q24h, Infuse over 30 min	
□то	☐ Read Back ☐ Scanned Powerchart ☐ Scanned PharmScan	
Order Taken by Signature: Date Time		
Physician S	hysician Signature: DateTime	