

<p><b>UMC Health System</b></p> <p>ASP THERAPY FOR URINARY TRACT INFECTION AS SEPSIS SOURCE</p>	<p>Patient Label Here</p>
---	---------------------------

**PHYSICIAN ORDERS**

Diagnosis \_\_\_\_\_

Weight \_\_\_\_\_ Allergies \_\_\_\_\_

Place an "X" in the Orders column to designate orders of choice AND an "x" in the specific order detail box(es) where applicable.

**ORDER ORDER DETAILS**

**Patient Care**

**Antibiogram**  
 T;N, Routine, See link for reference text.

**Antibiogram Education**  
 T;N, Routine, See link for reference text.

**Medications**

**Medication sentences are per dose. You will need to calculate a total daily dose if needed.**

Choose ONE of the following antibiotics  
 If ordering piperacillin-tazobactam, place order for BOTH items

**piperacillin-tazobactam**  
 3.375 g, IVPB, ivpb, ONE TIME, Infuse over 30 min

**piperacillin-tazobactam**  
 3.375 g, IVPB, ivpb, q8h, Infuse over 4 hr, 4 hour extended infusion, Genitourinary infection

**cefepime**  
 2 g, IVPush, inj, q8h  
 Reconstitute with 10-20 mL of Sterile Water or NS  
 Administer IV Push over 3 minutes

**cefTRIAxone**  
 1 g, IVPush, inj, q12h  
 Reconstitute with 10 mL of Sterile Water or NS  
 Administer IV Push over 3 minutes

--	--

TO   
  Read Back   
  Scanned Powerchart   
  Scanned PharmScan

Order Taken by Signature: \_\_\_\_\_ Date \_\_\_\_\_ Time \_\_\_\_\_  
 Physician Signature: \_\_\_\_\_ Date \_\_\_\_\_ Time \_\_\_\_\_