

UMC Health System ADULT BEDSIDE DEEP SEDATION PLAN - Phase: Intra-Procedure Orders	Patient Label Here
--	---------------------------

PHYSICIAN ORDERS

Diagnosis _____

Weight _____ **Allergies** _____

Place an "X" in the Orders column to designate orders of choice AND an "x" in the specific order detail box(es) where applicable.

ORDER ORDER DETAILS

Patient Care

Vital Signs
 T;N, Per Policy

Patient Position

<input type="checkbox"/> Lying on Left Side	<input type="checkbox"/> Lying on Right Side
<input type="checkbox"/> Prone	<input type="checkbox"/> Supine
<input type="checkbox"/> Other	

Oxygen Administration
 Via: Nasal cannula, Keep sats greater than: 90%

Medications

Medication sentences are per dose. You will need to calculate a total daily dose if needed.

Other Medications

lidocaine (lidocaine 1% injectable solution)
 1 mL, locally, inj, ONE TIME

Reversal Agent

flumazenil
 0.2 mg, IVPush, inj, q1min, PRN excess sedation

naloxone
 0.2 mg, IVPush, inj, q2min, PRN bradypnea

--	--

TO
 Read Back
 Scanned Powerchart
 Scanned PharmScan

Order Taken by Signature: _____ Date _____ Time _____
 Physician Signature: _____ Date _____ Time _____

UMC Health System

Patient Label Here

ADULT BEDSIDE DEEP SEDATION PLAN
- Phase: Medication Documentation

PHYSICIAN ORDERS

Place an "X" in the Orders column to designate orders of choice AND an "x" in the specific order detail box(es) where applicable.

ORDER ORDER DETAILS

...Additional Orders

TO Read Back

Scanned Powerchart

Scanned PharmScan

Order Taken by Signature: _____ Date _____ Time _____

Physician Signature: _____ Date _____ Time _____



ADULT BEDSIDE DEEP SEDATION PLAN
- Phase: Post-Procedure Orders

PHYSICIAN ORDERS

Place an "X" in the Orders column to designate orders of choice AND an "x" in the specific order detail box(es) where applicable.

ORDER	ORDER DETAILS
Patient Care	
Patient Activity <input type="checkbox"/> Bedrest <input type="checkbox"/> Bedrest, Bed Position: HOB Flat <input type="checkbox"/> Up Ad Lib/Activity as Tolerated	
Communication	
Notify Nurse (DO NOT USE FOR MEDS)	
Confirm Line Placement - Cleared for Use (Cleared for Use - CVL)	
Diagnostic Tests	
DX Chest Single View	

TO Read Back

Scanned Powerchart

Scanned PharmScan

Order Taken by Signature: _____ Date _____ Time _____

Physician Signature: _____ Date _____ Time _____



ADULT BEDSIDE DEEP SEDATION PLAN
- Phase: NURSING SEDATION MEDICATION
DOCUMENTATION PLAN

PHYSICIAN ORDERS

Place an "X" in the Orders column to designate orders of choice AND an "x" in the specific order detail box(es) where applicable.

ORDER	ORDER DETAILS
Communication	
<p>This plan is for nursing documentation only.</p> <p>This plan should only be entered by nurses for medication documentation following a procedure.</p> <p>Procedural Sedation Medications Guidelin (Procedural Sedation Medications Guidelines)</p>	
Medications	
Medication sentences are per dose. You will need to calculate a total daily dose if needed.	
Analgesics: Opioids	
	<p>fentaNYL</p> <p><input type="checkbox"/> 25 mcg, IVPush, inj, OCTOR For Procedural Sedation Only. See INet for incremental dosing of this medication.</p> <p><input type="checkbox"/> 50 mcg, IVPush, inj, OCTOR For Procedural Sedation Only. See INet for incremental dosing of this medication.</p> <p><input type="checkbox"/> 75 mcg, IVPush, inj, OCTOR For Procedural Sedation Only. See INet for incremental dosing of this medication.</p> <p><input type="checkbox"/> 100 mcg, IVPush, inj, OCTOR For Procedural Sedation Only. See INet for incremental dosing of this medication.</p>
	<p>HYDRomorphone</p> <p><input type="checkbox"/> 0.5 mg, IVPush, inj, OCTOR For Procedural Sedation Only. See INet for incremental dosing of this medication.</p> <p><input type="checkbox"/> 1 mg, IVPush, inj, OCTOR For Procedural Sedation Only. See INet for incremental dosing of this medication.</p> <p><input type="checkbox"/> 2 mg, IVPush, inj, OCTOR For Procedural Sedation Only. See INet for incremental dosing of this medication.</p>
	<p>morphine</p> <p><input type="checkbox"/> 2 mg, IVPush, inj, OCTOR For Procedural Sedation Only. See INet for incremental dosing of this medication.</p> <p><input type="checkbox"/> 4 mg, IVPush, inj, OCTOR For Procedural Sedation Only. See INet for incremental dosing of this medication.</p> <p><input type="checkbox"/> 10 mg, IVPush, inj, OCTOR For Procedural Sedation Only. See INet for incremental dosing of this medication.</p>
Sedatives	
	<p>LORazepam</p> <p><input type="checkbox"/> 0.5 mg, IVPush, inj, OCTOR For Procedural Sedation Only. See INet for incremental dosing of this medication.</p> <p><input type="checkbox"/> 1 mg, IVPush, inj, OCTOR For Procedural Sedation Only. See INet for incremental dosing of this medication.</p> <p><input type="checkbox"/> 2 mg, IVPush, inj, OCTOR For Procedural Sedation Only. See INet for incremental dosing of this medication.</p>
	<p>midazolam</p> <p><input type="checkbox"/> 0.5 mg, IVPush, inj, OCTOR For Procedural Sedation Only. See INet for incremental dosing of this medication.</p> <p><input type="checkbox"/> 2 mg, IVPush, inj, OCTOR For Procedural Sedation Only. See INet for incremental dosing of this medication.</p> <p><input type="checkbox"/> 4 mg, IVPush, inj, OCTOR For Procedural Sedation Only. See INet for incremental dosing of this medication.</p> <p><input type="checkbox"/> 5 mg, IVPush, inj, OCTOR For Procedural Sedation Only. See INet for incremental dosing of this medication.</p>

TO Read Back Scanned Powerchart Scanned PharmScan

Order Taken by Signature: _____ Date _____ Time _____

Physician Signature: _____ Date _____ Time _____



ADULT BEDSIDE DEEP SEDATION PLAN
- Phase: NURSING SEDATION MEDICATION
DOCUMENTATION PLAN

PHYSICIAN ORDERS

Place an "X" in the Orders column to designate orders of choice AND an "x" in the specific order detail box(es) where applicable.

ORDER	ORDER DETAILS
	<p>diphenhydrAMINE <input type="checkbox"/> 25 mg, IVPush, inj, OCTOR</p>
	<p>The Following Medications are for Deep Sedation Use Only</p> <p>dexmedeTOMIDine (dexmedetomidine 20 mcg/10 mL) <input type="checkbox"/> 25 mcg, Slow IVPush, inj, OCTOR For Deep Sedation Use Only. See INet for incremental dosing of this medication during procedural sedation. <input type="checkbox"/> 50 mcg, Slow IVPush, inj, OCTOR For Deep Sedation Use Only. See INet for incremental dosing of this medication during procedural sedation. <input type="checkbox"/> 100 mcg, Slow IVPush, inj, OCTOR For Deep Sedation Use Only. See INet for incremental dosing of this medication during procedural sedation.</p>
	<p>etomidate <input type="checkbox"/> 5 mg, IVPush, inj, OCTOR For Deep Sedation Use Only. See INet for incremental dosing of this medication during procedural sedation. <input type="checkbox"/> 10 mg, IVPush, inj, OCTOR For Deep Sedation Use Only. See INet for incremental dosing of this medication during procedural sedation. <input type="checkbox"/> 20 mg, IVPush, inj, OCTOR For Deep Sedation Use Only. See INet for incremental dosing of this medication during procedural sedation.</p>
	<p>ketamine <input type="checkbox"/> 50 mg, IVPush, inj, OCTOR For Deep Sedation Use Only. See INet for incremental dosing of this medication during procedural sedation. <input type="checkbox"/> 100 mg, IVPush, inj, OCTOR For Deep Sedation Use Only. See INet for incremental dosing of this medication during procedural sedation. <input type="checkbox"/> 200 mg, IVPush, inj, OCTOR For Deep Sedation Use Only. See INet for incremental dosing of this medication during procedural sedation.</p>
	<p>propofol <input type="checkbox"/> 10 mg, IVPush, inj, OCTOR For Deep Sedation Use Only. See INet for incremental dosing of this medication during procedural sedation. <input type="checkbox"/> 20 mg, IVPush, inj, OCTOR For Deep Sedation Use Only. See INet for incremental dosing of this medication during procedural sedation. <input type="checkbox"/> 50 mg, IVPush, inj, OCTOR For Deep Sedation Use Only. See INet for incremental dosing of this medication during procedural sedation. <input type="checkbox"/> 100 mg, IVPush, inj, OCTOR For Deep Sedation Use Only. See INet for incremental dosing of this medication during procedural sedation.</p>

TO Read Back

Scanned Powerchart

Scanned PharmScan

Order Taken by Signature: _____ Date _____ Time _____

Physician Signature: _____ Date _____ Time _____

