	UMC Health System	_				
	ARDIO PROTOCOL DOBUTAMINE ECHO FOR AORT		atient Label Here			
5	TENOSIS					
	PHYSICIAN ORDERS					
Diagnos	is					
Weight	Allergies					
	Place an "X" in the Orders column to designate orders of choice AND an "x" in the specific order detail box(es) where applicable.					
ORDER	ORDER DETAILS					
	Patient Care					
	Dobutamine Echo for Aortic Stenosis Prot (Dobutamine Echo for Aortic Stenosis Protocol)					
	Insert Peripheral Line T;N, Routine, 22g or larger					
	Obtain Consent Consent for: Dobutamine Echo					
	Vital Signs					
	sulfur hexaflouride (Lumason)					
	The test may be stopped at the discretion of the physician in the event of: * Positive test by echo criteria:					
	<ul> <li>****An increase in effective AVA to a final valve area greater than 1 cm2 suggests that stenosis is</li> <li>****Severe stenosis is suggested by an AS jet velocity greater than or equal to 4 m/s or a mean</li> <li>30-40 mmHg provided that the AVA does not exceed 1.0 cm2 at any</li> <li>****Absence of contractile reserve (failure to increase SV by more than 20%) is a predictor of a mortality and poor long-term outcome although valve replacement may improve LV function and outcome even in this subgroup.</li> </ul>					
	<ul> <li>* Heart rate rises 10-20 bpm over baseline or exceeds 100 bpm</li> <li>* Any ST elevation/depression or ischemia</li> <li>* Chest Pain</li> <li>* Uncontrolled Hypertension (blood pressure greater than or equal to 250/116 mmHg)</li> <li>* Abnormal Rhythm such as heart blocks, V-tach, etc.</li> </ul>					
	IV Solutions NS IV, 40 mL/hr KVO					
	Medications					
	Medication sentences are per dose. You will need to calculate a tot					
	DOBUTamine 250 mg/250 mL D5W for dob ech (DOBUTamine 250 mg/250 mL D5W for dob echo for AS- Titratable) IV, Max dose: 20 mcg/kg/min, Up titrate by 2.5 mcg/kg/min every 3 minutes, Titrate until positive test by echo criteria, patient's heart rate rises 20 bpm over baseline or exceeds 100 bpm, or until max dose of dobutamine is given. Stage 1: dobutamine 2.5 mcg/kg/min IV x3min Stage 2: dobutamine 5 mcg/kg/min IV x3min Stage 3: dobutamine 7.5 mcg/kg/min IV x3min Stage 4: dobutamine 10 mcg/kg/min IV x3min Stage 5: dobutamine 12.5 mcg/kg/min IV x3min Stage 6: dobutamine 15 mcg/kg/min IV x3min Stage 7: dobutamine 17.5 mcg/kg/min IV x3min Stage 8: dobutamine 20 mcg/kg/min IV x3min					
Titrate until positive test by echo criteria, patient's heart rate rises 20 bpm over baseline or exceeds 100 bpm, or until max dose of dobutamine is given.						
🗆 то	Max dose of dobutamine is 20 mcg/kg/min Co <del>htin<b>Read Pack</b>t page</del>	Scanned Powerchart	Scanned PharmScan			
Order Take	en by Signature:	Date	Time			
Physician Signature:		Date	Time			



UMC Health System		Pa	tient Label Here		
C/ ST	ARDIO PROTOCOL DOBUTAMINE ECHO FOR AOR <sup>T</sup> TENOSIS				
	PHYSICIAN ORDERS				
	Place an "X" in the Orders column to designate orders of choice AND an "x" in the specific order detail box(es) where applicable.				
ORDER					
	Start at rate:mcg/kg/min				
L					
🗆 то	Read Back	Scanned Powerchart	Scanned PharmScan		
	n by Signature:	Date			
Physician	Signature:	Date	Time		