

CDU Asthma/COPD/CHF Inclusion/Exclusion Criteria

Inclusion Criteria

- 1. Known history of asthma/COPD/CHF
- 2. Requiring further management after initial ED treatment
- 3. Pulse oximeter >\= 89% on room air
- 4. PEFs 40 69% of predicted
- 5. Persistent wheezing/dyspnea after EC treatments
- 6. Dyspnea on exertion
- 7. Edema
- 8. Weight gain greater than 3 pounds in two days

Exclusion Criteria

- 1. RR > 30
- 2. Impeding respiratory fatigue/failure
- 3. Inability to perform spirometry
- 4. Pulse oximeter < 89% on room air
- 5. The need for continuous nebulizer treatment or BiPAP
- 6. New EKG changes
- 7. Altered mental status

Clinical Decision Unit Interventions

- 1. Serial exams including Vital Signs every 4 hours
- 2. EKG monitoring
- 3. Pulse oximeter monitoring
- 4. Supplemental oxygen
- 5. Serial peak-flow measurements
- 6. Bronchodilator treatment every 1-4 hours
- 7. Steroids and/or antibiotics
- 8. Asthma/MDI education
- 9. Diagnostic imaging, if indicated

Disposition Criteria

- 1. Home
 - a. Major resolution of SOB/wheezing
 - b. Ambulating comfortably without significant O2 desaturation
- 2. Hospital
 - a. Deterioration of condition
 - b. Peak flow deterioration to < 20% than expected
 - c. RR > 35
 - d. Pulse oximetry < 89% on room air for 30 minutes

Time Frame

1. 8 to 24 hours observation and treatment